



**EXAKTA**  
*Varex*



**EXAKTA & EXA**

***PRICE LIST***

## EXAKTA VAREX IIa. Model 61



35mm single lens reflex camera with interchangeable focusing system: reflexhood, pentaprism, magnear scientific viewfinder, and stereo viewfinder. Bayonet flange for interchangeable branded objectives, focal plane shutter speeded from 1/1000 to 12 seconds and time exposures T and B. Delayed action on all speeds from 1/1000 to 6 seconds. New quiet operating slow speeds mechanism. Three synchronisation sockets for electronic and expendable flash. Rapid lever wind fully coupled to shutter.

Code No.	Ihagee Ref. No.		Basic Retail £ s. d.	Purchase Tax £ s. d.	Total £ s. d.	
E110-120-1 141-1	325.L	<b>EXAKTA VAREX IIa</b> (with reflex finderhood, standard screen and cable release) Body only, without lens	54 10 0	8 17 2	63 7 2	T
E110-120-1 141-1 167-12	325.L-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	66 7 0	10 15 8	77 2 8	T
E110-120-1 141-1 165-13	325.L-543	With Primotar f3.5/50mm Full Automatic Diaphragm	69 9 0	11 5 9	80 14 9	T
E110-120-1 141-1 167-13	325.L-601	With Tessar f2.8/50mm Full Automatic Diaphragm	81 8 3	13 4 7	94 12 10	T
E110-120-1 141-1 169-1	325.L-646	With Domiron f2/50mm Full Automatic Diaphragm	88 16 0	14 8 8	103 4 8	T
E110-120-1 141-1 169-2	325.L-604	With Pancolar f2/50mm Full Automatic Diaphragm	96 5 6	15 12 11	111 18 5	T
E110-120-1 145-1	325.LM	<b>EXAKTA VAREX IIa</b> (with reflex finderhood, Distance meter and cable release) Body only, without lens	59 8 6	9 13 2	69 1 8	T
E110-120-1 145-1 167-12	325.LM-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	71 5 6	11 11 8	82 17 2	T
E110-120-1 145-1 165-13	325.LM-543	With Primotar f3.5/50mm Full Automatic Diaphragm	74 7 6	12 1 8	86 9 2	T

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
E110-120-1 145-1 167-13	325.LM-601	With Tessar f2.8/50mm Full Automatic Diaphragm	86 6 9	14 0 7	100 7 4	T
E110-120-1 145-1 169-1	325.LM-646	With Domiron f2/50mm Full Automatic Diaphragm	93 14 6	15 4 8	108 19 2	T
E110-120-1 145-1 169-2	325.LM-604	With Pancolar f2/50mm Full Automatic Diaphragm	101 4 0	16 8 11	117 12 11	T
E110-130-1 141-1	325.P	EXAKTA VAREX IIa (with Pentaprism, standard screen and cable release) Body only, without lens	62 17 9	10 4 5	73 2 2	T
E110-130-1 141-1 167-12	325.P-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	74 14 9	12 2 11	86 17 8	T
E110-130-1 141-1 165-13	325.P-543	With Primotar f3.5/50mm Full Automatic Diaphragm	77 16 9	12 13 0	90 9 9	T
E110-130-1 141-1 167-13	325.P-601	With Tessar f2.8/50mm Full Automatic Diaphragm	89 16 0	14 11 11	104 7 11	T
E110-130-1 141-1 169-1	325.P-646	With Domiron f2/50mm Full Automatic Diaphragm	97 3 9	15 15 10	112 19 7	T
E110-130-1 141-1 169-2	325.P-604	With Pancolar f2/50mm Full Automatic Diaphragm	104 13 3	17 0 3	121 13 6	T
E110-130-1 145-1	325.PM	EXAKTA VAREX IIa (with Pentaprism, Distance meter and cable release) Body only, without lens	67 16 3	11 0 5	78 16 8	T
E110-130-1 145-1 167-12	325.PM-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	79 13 3	12 19 0	92 12 3	T
E110-130-1 145-1 165-13	325.PM-543	With Primotar f3.5/50mm Full Automatic Diaphragm	82 15 3	13 9 0	96 4 3	T
E110-130-1 145-1 167-13	325.PM-601	With Tessar f2.8/50mm Full Automatic Diaphragm	94 14 6	15 7 11	110 2 5	T
E110-130-1 145-1 169-1	325.PM-646	With Domiron f2/50mm Full Automatic Diaphragm	102 12 3	16 13 7	119 5 10	T
E110-130-1 145-1 169-2	325.PM-604	With Pancolar f2/50mm Full Automatic Diaphragm	109 11 9	17 16 2	127 7 11	T

## CARRYING CASES

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
K312-2	—	Leather Ever-Ready Case for Exakta Varex. (All above models except Domiron)	3 5 0	10 6	3 15 6	T
K312-5	—	Ditto for cameras with Domiron	3 5 0	10 6	3 15 6	T
K312-3	—	Leather Ever-Ready Case for Exakta Varex. With exposure meter insert	3 6 0	10 8	3 16 8	T



With interchangeable focusing system: reflex hood, pentaprism, magnear scientific viewfinder, and stereo viewfinder. Bayonet flange for interchangeable branded objectives. Special metal shutter for speeds from 1/25 to 1/150 second and brief or time exposures. Synchronisation sockets for electronic and expendable flash bulbs. Coupled shutter and film transport. Takes all EXAKTA accessories and a more limited range of EXAKTA lenses. Lenses up to 100mm focal length are suitable.

Code No.	Ihagee Ref. No.		Basic Retail £ s. d.	Purchase Tax £ s. d.	Total £ s. d.	
E110-1 120-1 141-1	350.L	EXA I (with reflex finderhood, standard screen and cable release) Body only, without lens	15 10 9	2 10 6	18 1 3	T
E110-1 120-1 141-1 166-1	350.L-432	With Meritar f2.9/50mm Pre-set Diaphragm	23 1 9	3 15 1	26 16 10	T
E110-1 120-1 141-1 167-12	350.L-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	27 7 9	4 9 1	31 16 10	T
E110-1 120-1 145-1	350.LM	EXA I (with reflex finderhood, Distance meter and cable release) Body only, without lens	20 9 3	3 6 6	23 15 9	T
E110-1 120-1 145-1 166-1	350.LM-432	With Meritar f2.9/50mm Pre-set Diaphragm	28 0 3	4 11 2	32 11 5	T
E110-1 120-1 145-1 167-12	350.LM-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	32 6 3	5 5 0	37 11 3	T
E110-1 130-1 141-1	350.P	EXA I (with Pentaprism, standard screen and cable release) Body only, without lens	23 18 6	3 17 9	27 16 3	T
E110-1 130-1 141-1 166-1	350.P-432	With Meritar f2.9/50mm Pre-set Diaphragm	31 9 6	5 2 5	36 11 11	T
E110-1 130-1 141-1 167-12	350.P-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	35 15 6	5 16 3	41 11 9	T
E110-1 130-1 145-1	350.PM	EXA I (with Pentaprism, Distance meter and cable release) Body only, without lens	28 17 0	4 13 9	33 10 9	T
E110-1 130-1 145-1 166-1	350.PM-432	With Meritar f2.9/50mm Pre-set Diaphragm	36 8 0	5 18 5	42 6 5	T
E110-1 130-1 145-1 167-12	350.PM-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	40 14 0	6 12 4	47 6 4	T

## EXA II 35mm SINGLE LENS REFLEX CAMERA



With built-in pentaprism available with rangefinder screen or ground glass screen (not interchangeable). Precision focal plane shutter, extremely quiet in operation, running vertically. Speeded from 1/2 second to 1/250 second and B, each speed being one-half of the previous value. Rapid lever wind coupled with film transport, universal flash socket, bayonet flange for full range of lenses and accessories. (All focal lengths of lenses can be used without fear of vignetting. All EXAKTA accessories may be used.)

Code No.	Ihagee Ref. No.		Basic Retail £ s, d,	Purchase Tax £ s, d,	Total £ s, d,	
		<b>EXA II</b> (with Pentaprism, standard screen and cable release) Body only, without lens	27 4 0	4 8 5	31 12 5	T
E110-2 E110-2 166-1	370 370-432	With Meritar f2.9/50mm Pre-set Diaphragm	34 15 0	5 12 11	40 7 11	T
E110-2 167-12	370-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	39 1 0	6 6 11	45 7 11	T
E110-2 167-11	370-101	With Tessar f2.8/50mm Click Stops	40 6 0	6 11 0	46 17 0	T
E110-2 165-13	370-543	With Primotar f3.5/50mm Full Automatic Diaphragm	42 3 0	6 17 0	49 0 0	T
E110-2 167-13	370-601	With Tessar f2.8/50mm Full Automatic Diaphragm	54 2 3	8 15 11	62 18 2	T
E110-2 169-1	370-646	With Domiron f2/50mm Full Automatic Diaphragm	61 10 0	9 19 11	71 9 11	T
E110-2 169-2	370-604	With Pancolar f2/50mm Full Automatic Diaphragm	68 19 6	11 4 2	80 3 8	T
		<b>EXA II</b> (with Pentaprism, Distance meter and cable release) Body only, without lens	32 6 6	5 5 1	37 11 7	T
E110-3 E110-3 166-1	370.PM 370.PM-432	With Meritar f2.9/50mm Pre-set Diaphragm	39 17 6	6 9 7	46 7 1	T
E110-3 167-12	370.PM-649	With Domiplan f2.8/50mm Full Automatic Diaphragm	44 3 6	7 3 8	51 7 2	T
E110-3 167-11	370.PM-101	With Tessar f2.8/50mm Click Stops	45 8 6	7 7 9	52 16 3	T
E110-3 165-13	370.PM-543	With Primotar f3.5/50mm Full Automatic Diaphragm	47 5 6	7 13 8	54 19 2	T
E110-3 167-13	370.PM-601	With Tessar f2.8/50mm Full Automatic Diaphragm	59 4 9	9 12 7	68 17 4	T
E110-3 169-1	370.PM-646	With Domiron f2/50mm Automatic Diaphragm	66 12 6	10 16 7	77 9 1	T
E110-3 169-2	370.PM-604	With Pancolar f2/50mm Full Automatic Diaphragm	74 2 0	12 0 10	86 2 10	T

### CARRYING CASES

Code No.	Ihagee Ref. No.		Basic Retail £ s. d.	Purchase Tax £ s. d.	Total £ s. d.	
K312-4	—	Leather Ever-Ready Case for Exa I and Exa II	2 3 0	7 0	2 10 0	T

## EXAKTA AND EXA CAMERAS

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total
			£ s. d.	£ s. d.	£ s. d.
E166-1	432	*Meritar f2.9/50mm P.D.	7 11 0	1 4 7	8 15 7 T
E167-10	443	Primotar f2.8/50mm P.D.	11 6 9	1 16 11	13 3 8 T
E167-12	649	Domiplan f2.8/50mm F.A.D.	11 17 0	1 18 7	13 15 7 T
E167-11	101	*Tessar f2.8/50mm C.S.	13 2 0	2 2 7	15 4 7 T
E165-13	543	Primotar f3.5/50mm F.A.D.	14 19 0	2 8 8	17 7 8 T
E167-13	601	Tessar f2.8/50mm F.A.D.	26 18 3	4 7 6	31 5 9 T
E169-1	646	Domiron f2/50mm F.A.D.	34 6 0	5 11 6	39 17 6 T
E169-2	604	+ Pancolar f2/50mm F.A.D.	41 15 6	6 15 10	48 11 4 T

NOTES—Lenses marked \* for Exa I and Exa II only.  
Lenses marked + for Exakta and Exa II only.  
Other lenses for Exa I, Exa II, and Exakta.  
P.D. = Pre-set Diaphragm.  
C.S. = Click Stops.  
F.A.D. = Full Automatic Diaphragm.

## INTERCHANGEABLE AUXILIARY LENSES FOR EXAKTA AND EXA CAMERAS

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total
			£ s. d.	£ s. d.	£ s. d.
E164-1	636	25mm f4 Zeiss Flektogon F.A.D.	47 0 6	7 12 10	54 13 4 T
E330-1	—	Case for above	2 7 6	7 10	2 15 4 T
E167-14	634	35mm f2.8 Zeiss Flektogon F.A.D.	44 7 6	7 4 3	51 11 9 T
E330-2	44/534	Case for above	2 7 6	7 10	2 15 4 T
E163-6	442	35mm f4.5 Meyer Prima-gon P.D.	19 10 6	3 3 6	22 14 0 T
E330-3	44/442	Case for above	1 5 9	4 2	1 9 11 T
E172-1	422	75mm f1.5 Zeiss Biotar P.D.	42 17 3	6 19 4	49 16 7 T
E330-4	44/422	Case for above	1 13 9	5 6	1 19 3 T
E167-16	635	80mm f2.8 Zeiss Biometar F.A.D.	31 18 3	5 3 9	37 2 0 T
E330-5	44/635	Case for above	2 4 9	7 3	2 12 0 T
E167-18	510	100mm f2.8 Meyer Tri-oplan F.A.D.	28 18 6	4 14 0	33 12 6 T
E167-20	648	120mm f2.8 Biometar F.A.D.	57 14 9	9 7 8	67 2 5 T
E330-18	44/648	Case for above	1 13 0	5 5	1 18 5 T
E164-2	437	135mm f4 Zeiss Sonnar P.D.	29 19 6	4 17 5	34 16 11 T
E330-8	44/437	Case for above	2 9 6	8 1	2 17 7 T
E162-1	412	180mm f5.5 Meyer Tele-Megor P.D.	26 11 0	4 6 4	30 17 4 T
E330-10	44/412	Case for above	1 4 0	3 11	1 7 11 T

Code No.	Ihagee Ref. No.		Basic Retail			Purchase Tax			Total			
			£	s.	d.	£	s.	d.	£	s.	d.	
E165-15	445	180mm f3.5 Meyer Primotar P.D.	29	9	3	4	15	9	34	5	0	T
E330-11	44/445	Case for above	1	13	9	5	6		1	19	3	T
E167-19	418	180mm f2.8 Zeiss Sonnar P.D.	73	10	9	11	19	0	85	9	9	T
E330-12	44/418	Case for above	3	4	6	10	6		3	15	0	T
E162-2	414	250mm f5.5 Meyer Tele-Megor P.D.	30	0	0	4	17	6	34	17	6	T
E330-13	44/414	Case for above	1	13	9	5	6		1	19	3	T
E163-7	416	300mm f4.5 Meyer Tele-Megor P.D.	51	13	6	8	8	0	60	1	6	T
E330-14	44/416	Case for above	2	1	9	6	11		2	8	8	T
E164-4	419	300mm f4 Zeiss Sonnar P.D.	100	9	6	16	6	7	116	16	1	T
E330-15	44/419	Case for above	3	9	6	11	4		4	0	10	T
E162-3	415	400mm f5.5 Meyer Tele-Megor P.D.	50	4	9	8	3	3	58	8	0	T
E330-16	44/415	Case for above	2	7	6	7	10		2	15	4	T
E160-1	420	500mm f8 Zeiss 'Distance Lens', with yellow filter, T iris	98	8	6	15	19	11	114	8	5	T
E330-17	44/420	Case for above	6	11	0	1	1	4	7	12	4	T
E490-1	120/1	Filter only for above	9	8	0	1	10	7	10	18	7	T
E164-5	129	500mm f4 Zeiss Mirror Lens	390	0	0	77	0	6	467	0	6	F
E163-04	134	1000mm f5.6 Zeiss Mirror Lens	595	0	0	116	0	6	711	0	6	F

NOTE.—Lenses exceeding 100mm focal length are unsuitable for Exa I Camera

### INTERCHANGEABLE FOCUSING ACCESSORIES AND FITMENTS

Code No.	Ihagee Ref. No.		Basic Retail			Purchase Tax			Total			
			£	s.	d.	£	s.	d.	£	s.	d.	
E120-1	301	Reflex focusing hood, without screen	4	2	3	13	5		4	15	8	T
E120-1 141-1	301 (01-8)	Reflex focusing hood, with standard screen	5	3	9	16	10		6	0	7	T
E130-1	302	Pentaprism without focusing screen	12	10	0	2	0	8	14	10	8	T
E130-1 141-J	302 (01-16)	Pentaprism with standard screen	13	11	6	2	4	2	15	15	8	T
E320-1	320	Leather case for Pentaprism or reflex hood	13	3		2	2		15	5		T
E130-1 145-1	302 (310)	Pentaprism with Zeiss Distance meter	18	10	0	3	0	2	21	10	2	
E131-1	315	Rotating Eyepiece for Exakta Pentaprism	1	14	0	5	7		1	19	7	T
E141-1	302.01-16	Standard screen	1	1	6	3	6		1	5	0	T
E141-2	302.09	Standard screen with hair-line cross	2	10	0	8	2		2	18	2	T

Code No.	Image Ref. No.		Retail			Tax			Total			
			£	s.	d.	£	s.	d.	£	s.	d.	
E141-3	302.12	Standard screen with 3mm clear centre spot	2	19	6	9	8	3	9	2	T	
E141-4	302.13	Standard screen with 10mm clear centre spot	2	19	6	9	8	3	9	2	T	
E141-5	302.03	Standard screen with 3mm clear centre spot and hairline cross	4	2	3	13	4	4	15	7	T	
E141-6	302-04	Standard screen with 10mm clear centre spot and hairline cross	4	2	3	13	4	4	15	7	T	
E141-7	302-06	Standard screen with hairline cross and $\frac{1}{16}$ in. divisions	7	12	3	1	4	9	8	17	0	T
E141-8	302.08	Standard screen with $\frac{1}{4}$ in. by $\frac{1}{4}$ in. squaring	6	3	3	1	0	1	7	3	4	T
E141-9	302.05	Standard screen with hairline cross and 1mm divisions	6	3	3	1	0	1	7	3	4	T
E141-10	302.07	Standard screen with 5 by 5mm squaring	5	9	6	17	9	6	7	3	T	
E142-1	302.11	Clear screen	1	12	3	5	3	1	17	6	T	
E142-2	302.10	Clear screen with hairline cross	3	1	9	10	1	3	11	10	T	
E142-9	302.14	Clear screen with hairline cross and 1mm divisions	6	18	3	1	2	6	8	0	9	T
E142-10	302.18	Clear screen with 5 by 5mm squaring	6	3	3	1	0	1	7	3	4	T
E145-1	310	Zeiss Distance Meter for Pentaprism, etc.	6	0	0	19	6	6	19	6	T	
E150-1	308	Magnear Attachment for Exakta without focusing screen	3	1	9	10	0	3	11	9	T	
E150-1 141-1	308 (01-16)	Magnear Attachment for Exakta with standard screen	4	3	0	13	6	4	16	6	T	
E151-1	312	Top-lens Magnifier for Magnear attachment	3	7	9	11	0	3	18	9	T	
E152-2	308.23	Flat ground-glass screen for Magnear attachment, with hairline cross	18	3		3	0	1	1	3	T	
E152-1	308.22	Flat ground-glass screen for Magnear attachment	6	6		1	2	7	8		T	
E152-9	308.24	Flat ground-glass screen for Magnear, with hairline cross and 1mm divisions	1	14	3	5	7	1	19	10	T	
E152-10	308.25	Flat ground-glass screen for Magnear, with 5 by 5mm squaring	2	12	3	8	6	3	0	9	T	



Code No.	Ihagee Ref. No.		Basic Retail		Purchase Tax		Total	
			£	s. d.	£	s. d.	£	s. d.
E530-6	306	Stereflex attachment	14	3 3	2	6 2	16	9 5 T
E530-2	313	Stereo attachment for under 2m	28	5 3	4	11 10	32	17 1 T
E530-3	313-1	20cm Proxar	2	14 9	8	11	3	3 8 T
E530-4	313-2	30cm Proxar	2	14 9	8	11	3	3 8 T
E530-5	313-3	50cm Proxar	2	14 9	8	11	3	3 8 T
E530-1	314	Stereo attachment for 2m to infinity	37	1 9	6	0 6	43	2 3 T

### ACCESSORIES FOR MICRO AND MACRO-PHOTOGRAPHY

Code No.	Ihagee Ref. No.		Basic Retail		Purchase Tax		Total	
			£	s. d.	£	s. d.	£	s. d.
E532-2	180	Set of extension tubes and adapters	3	16 0	12	5	4	8 5 T
E534-1	181	Rear Bayonet ring	17	9	2	11	1	0 8 T
E534-2	183	Front Bayonet ring	15	6	2	6	18	0 T
E531-6	184	5mm extension tube	13	3	2	2	15	5 T
E531-7	185	15mm extension tube	15	6	2	6	18	0 T
E531-8	186	30mm extension tube	19	6	3	2	1	2 8 T
E535-1	149	Autocouple release rod	9	3	1	6	10	9 T
E533-1	176	Miniature bellows attachment	8	6 9	1	7 1	9	13 10 T
E690-1	188	Microscope Adapter Type 1 (aluminium)	4	11 9	14	11	5	6 8 T
E690-2	153	Microscope Adapter Type 2 (brass)	6	3 3	1	0 1	7	3 4 T
E534-3	159-1	32mm Reversal Ring	17	3	2	10	1	0 1 T
E534-4	159-4	37mm Reversal Ring	17	3	2	10	1	0 1 T
E534-5	159-2	42mm Reversal Ring	17	3	2	10	1	0 1 T
E534-6	159-3	51mm Reversal Ring	17	3	2	10	1	0 1 T
E687-1	167	"Varilux" Macro-Micro Photometer	8	16 3	1	8 8	10	4 11 T

**MULTI-PURPOSE REPRODUCTION EQUIPMENT**

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
E680	155	Vielzweck Reproduction Outfit excluding Microscope attachment	51 1 3	8 6 1	59 7 4	T
E680-1	155.16	Baseboard assembly, including column for Vielzweck	19 7 0	3 2 11	22 9 11	T
E681-1	155.01-U7	Slide rail for Vielzweck	7 7 6	1 4 0	8 11 6	T
E682-1	155.02	Bellows focusing attachment for Vielzweck	9 17 6	1 12 1	11 9 7	T
E683-1	155.04	Transparency copying device for Vielzweck	7 11 0	1 4 7	8 15 7	T
E684-1	155.03	Camera cradle for Vielzweck with rotating head and angular connecting bracket	5 9 6	17 10	6 7 4	T
E685-1	155.13	Tripod base for camera cradle for Vielzweck	1 8 9	4 8	1 13 5	T
E686-1	156	Vielzweck/Microscope light trap	17 3	2 10	1 0 1	T
E686-2	157	Vielzweck Microscope Ring	1 12 9	5 4	1 18 1	T
E686-3	166	Zeiss Light excluding shell (Microscope fitting) for Vielzweck	1 7 9	4 6	1 12 3	T
E686-4	155.05	Lighting equipment for Vielzweck	12 12 6	2 1 0	14 13 6	T
E167-15	128	f2.8 50mm Tessar lens in sunk mount	22 1 9	3 11 9	25 13 6	T

**CLINICAL EQUIPMENT**

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
E600	155.11	Complete Kolpofot outfit for Exakta, comprising bellows focusing attachment with slide rail and flash-head bracket 135mm f4 Sonnar and flash unit ZB3	94 17 6	15 8 4	110 5 10	T
E600-1	155.10	Bellows focusing attachment for Kolpofot, with slide rail and flash-head bracket	19 12 9	3 3 10	22 16 7	T
E164-3	427	135mm f4 Sonnar pre-set for use with Kolpofot	35 13 0	5 15 10	41 8 10	T
E161-1	117	120mm f6.3 Tessar for use with Kolpofot	30 2 6	4 17 11	35 0 5	T
E600-2	155.09	Central electronic flash unit ZB3 with pilot light and 2 connecting cables	39 11 9	6 8 8	46 0 5	T
E600-4	155.09-1	Spare pilot lamp for Kolpofot flash equipment	1 1 6	3 6	1 5 0	T
E600-3	154	Endoscope connecting piece for Kolpofot	8 5 6	1 6 11	9 12 5	T
E600-5	—	Over-running Switch for Endoscope.	2 19 3	9 8	3 8 11	T

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
E197-7	202	32mm lens hood	8 0	1 4	9 4	T
E197-8	217-37	35.5mm screw-in lens hood	13 0	2 2	15 2	T
E197-10	—	40.5mm screw-in lens hood	18 6	3 0	1 1 6	T
E197-9	206	42mm push on lens hood	9 3	1 6	10 9	T
E197-11	217-51	49mm screw-in lens hood	18 6	3 0	1 1 6	T
E198-2	323/32	32mm lens cap	4 0	8	4 8	T
E198-3	323/37	37mm lens cap	4 0	8	4 8	T
E198-4	323/42	42mm lens cap	4 0	8	4 8	T
E198-5	323/51	51mm lens cap	5 3	11	6 2	T
E198-6	323/60	60mm lens cap	5 3	11	6 2	T
E198-7	323/70	70mm lens cap	6 6	1 2	7 8	T
E198-8	323/80	80mm lens cap	6 6	1 2	7 8	T
E198-9	323/85	85mm lens cap	6 6	1 2	7 8	T
E199-3	322	Rear cap for Exakta lenses	5 3	11	6 2	T

## FILTERS

Code No.	Ihagee Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
E408	218-37	Ihagee 35.5mm screw-in filter (specify colour), in holder	1 2 3	3 8	1 5 11	T
E410	—	Ihagee 40.5mm screw-in filter (specify colour), in holder	1 2 3	3 8	1 5 11	T
E412	218-51	Ihagee 49mm screw-in filter (specify colour), in holder. (Above filters available in light and medium yellow, y/grn, green, red, blue, orange, u.v.)	2 0 0	6 6	2 6 6	T
EZ412	207	Zeiss filter (specify colour), in 49mm screw-in mount. (Above filter available in light, medium and deep yellow, light and deep green, red, blue, orange, and u.v.)	2 7 6	7 10	2 15 4	T
E446	203	L & B 37mm push-on filter mount with (specify colour) glass	19 6	3 2	1 2 8	T
E448	205	L & B 42mm ditto ditto	1 2 0	3 7	1 5 7	T
—	—	L & B 51mm ditto ditto	1 16 9	6 0	2 2 9	T

Code No.	Ihagec Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
	—	L & B 57mm ditto ditto	1 19 6	6 5	2 5 11	T
	—	L & B 60mm ditto ditto	3 1 9	10 1	3 11 10	T
	—	L & B 80mm ditto ditto	7 5 3	1 3 7	8 8 10	T
	—	L & B 85mm ditto ditto	7 5 3	1 3 7	8 8 10	T
		(Above filters available in light and medium yellow, y/grn, green, orange, light and deep red, blue, u.v., and infra-red.)				
EZ492-4	216	37mm Zeiss Polarising filter	6 1 9	19 10	7 1 7	T
EZ492-6	214	42mm Zeiss Polarising filter	6 4 0	1 0 3	7 4 3	T
EZ492-8	215	49mm Zeiss Polarising filter, with screw-in mount	7 18 3	1 5 9	9 4 0	T

## SUNDRY ACCESSORIES

Code No.	Ihagec Ref. No.		Basic Retail	Purchase Tax	Total	
			£ s. d.	£ s. d.	£ s. d.	
E550-1	151	Giant Release Button	2 9	6	3 3	T
E594-3	150	Varex take-up spool	5 3	11	6 2	T
E690-3	235	Connecting ring for microscope	12 0	2 0	14 0	T
E199-2	305	Body cover for Exakta/Exa	2 9	6	3 3	T
E592-7	231	Cassette	2 9	6	3 3	T
E551-3	232	Cable release for Varex	2 9	6	3 3	T
E551-2	233	Cable release for Exa	4 0	8	4 8	T
E180	212	Soft focus lens (specify 1 or 2) in 35.5mm screw-in mount	1 9 0	4 9	1 13 9	T
E181	—	ditto in 40.5mm screw-in mount	2 7 6	7 10	2 15 4	T
E182	211	ditto in 49mm screw-in mount	2 7 6	7 10	2 15 4	T
E540-2	160.01	Ihagec Flashgun	5 4 9	17 0	6 1 9	T
E350-1	160.507	Leather case for flashgun	9 3	1 6	10 9	T

**FILTER AND VIEW ANGLE DETAILS,  
INTERCHANGEABLE AUXILLIARY LENSES**


CODE No.	IHAGEE REF. No.	LENS	Filter mm	No. of Lenses	Field of View
E164-1	036	25 mm. f4 Zeiss Flektogon, F.A.D. . . . .	77	7	82°
E167-14	534	35 mm. f2.8 Zeiss Flektogon, F.A.D. . . . .	58	6	62°
E163-6	442	35 mm. f4.5 Meyer Primogon, P.D. . . . .	49	4	63°
E172-1	422	75 mm. f1.5 Zeiss Biotar, P.D. . . . .	58	6	32°
E167-16	635	80 mm. f2.8 Zeiss Biometar, F.A.D. . . . .	49	5	30°
E167-18	510	100 mm. f2.8 Meyer Trioplan, F.A.D. . . . .	55	3	25°
E167-20	648	120 mm. f2.8 Zeiss Biometar, F.A.D. . . . .	67	5	21°
E164-2	437	135 mm. f4 Zeiss Sonnar, P.D. . . . .	49	4	18°
E162-1	412	180 mm. f5.5 Meyer Tele-Megor, P.D. . . . .	49	4	14°
E165-15	445	180 mm. f3.5 Meyer Primotar, P.D. . . . .	67	4	14°
E167-19	418	180 mm. f2.8 Zeiss Sonnar, P.D. . . . .	77	5	14°
E162-2	414	250 mm. f5.5 Meyer Tele-Megor, P.D. . . . .	58	4	10°
E163-7	416	300 mm. f4.5 Meyer Tele-Megor, P.D. . . . .	82	4	8°
E164-4	419	300 mm. f4 Zeiss Sonnar, P.D. . . . .	77	5	8°
E162-3	415	400 mm. f5.5 Meyer Tele-Megor, P.D. . . . .	82	4	6°
E160-1	420	500 mm. f8 Zeiss "Distance Lens", with yellow filter, T iris . . . . .	77	2	5°

NOTE: Lenses exceeding 100 mm. focal length are unsuitable for EXA I cameras.


## A FEW EXAKTA ACCESSORIES




Set of Extension Tubes  
and Rings




Pentaprism




Miniature Bellows




Transparency Copier




Slide Rail, Vielzweck



Bellows Attachment,  
Vielzweck



Lighting Unit, Vielzweck



Column and Baseboard,  
Vielzweck

# **K. G. CORFIELD (SALES) LTD.**

**1-3, CHARLOTTE STREET, LONDON, W.1**

**Telephone: MUSeum 0581**

**YOUR EXAKTA SUPPLIER**

This Price List invalidates all previous lists. In the event of price alterations we reserve the right to invoice at current list prices.

**K. G. CORFIELD (SALES) LTD., LONDON**